

A Register-based Study of Antibiotic Use in Danish Veal Farms



Which farm characteristics affect antibiotic use?

Jeanette Kristensen^a, Amanda Brinch Kruse^a
^aUniversity of Copenhagen, Department of Veterinary and Animal Sciences, Denmark




Figure 1: The model depicted with the eight explanatory variables tested for association with the outcome Farm-level antibiotic use in 2020. The databases VetStat and the Danish Cattle Database are depicted and data extracted from each is colored accordingly

Results: Increasing farm size based on young stock population, proportion of males, number of suppliers, proportion of young stock under 6 months of age, and the use of euthanasia resulted in higher odds of having a “High” AMU. Presence of cows, mortality and proportion of slaughtered animals were not found to have an effect in the final model.

Odds Ratios with 95% confidence intervals for the final model					
Variable	Level	Odds Ratio	Confidence Interval		p-value
			Lower 2.5%	Upper 97.5%	
Age distribution	>= 0.5	3.97	1.91	8.25	0.00022
Euthanasia use	Euthanizes	2.22	1.11	4.45	0.024
Farm size	300 to 600	8.40	3.60	19.59	< 0.0001
	>= 600	13.33	5.17	34.40	< 0.0001
Sex distribution	>= 0.9	3.69	1.76	7.73	0.00053
Suppliers	10 to 20	3.29	1.38	7.82	0.0071
	>= 20	6.41	2.50	16.44	0.00011

Materials and methods:

Model: A multivariable logistic analysis model testing eight qualitative variables’ association with a dichotomous outcome. Backwards elimination was applied using Akaike’s Information Criterion.

Population: 553 Danish veal farms

Period: 2020

Data sources: Two Danish registers

- VetStat
- The Danish Cattle Database

Model input definitions

Outcome

“High” or “Low” farm antibiotic use: Number of antibiotic Animal Daily Doses¹ for cattle young stock relative to number of animal days per farm in 2020 i.e. % Treated Animals/Day. Dichotomized using cut 1.2%²

Explanatory variables

Farm size: Average number of cattle young stock animals in 2020. Three groups with cuts 300 and 600

Age distribution: Proportion young stock above and below six months of age dichotomized using the 75% quantile

Euthanasia use: Proportion of young stock animals euthanized. Dichotomized (present/absent)

Mortality: Proportion of young stock animals dead grouped by 33% and 66% quantiles

Presence of cows: Proportion of cows relative to overall farm size. Dichotomized (present/absent)

Sex distribution: Proportion of male young stock dichotomized using the median

Slaughtered: Proportion of young stock and bulls slaughtered relative to farm size grouped using 40% and 80% quantiles

Number of suppliers: Number of unique suppliers. Three groups with cuts 10 and 20

Discussion: The model performed well in identifying farms with AMU below the threshold but were less consistent in identifying farms above the threshold of 1.2% treated animals per day correctly. Challenges with the model performance may be caused by a very heterogeneous study population. The results and reported odds ratios should therefore be interpreted with caution.

Observed outcome vs model prediction




Figure 3: Violin plot with overlaying scatterplot visualising model performance per study farm with the observed outcome classified as below (“Low”) and equal to or above (“High”) 1.2% treated animals per day versus the models predicted probability of a “High” outcome

ROC curve




Figure 2: Receiver Operating Characteristics curve for the study model visualizing model performance in distinguishing between farms with an antibiotic use below and above 1.2% treated animals per day on average the resulting Area Under the Curve was 0.94.

Acknowledgements:

Thank you to **SEGES** for providing data from the **Danish Cattle Database** and definitions of veal farms

Thank you to **Ministry of Food, Agriculture and Fisheries of Denmark** for providing data from **VetStat** and for answering data related questions

Thank you to **Kvægaftsfonden** for providing funding for my PhD project

¹ Animal Daily Dose is defined per product and species by the Danish Veterinary and Food Administration based on Summary of Product Characteristics provided by the medical company ²The Danish national “yellow card” threshold for cattle young stock

Jeanette Kristensen, DVM, PhD-Student



Contact: jp@sund.ku.dk
 University of Copenhagen
¹Department of Veterinary and Animal Sciences
 Animal Welfare and Disease Control
 Grønnegårdsvej 8
 1870 Frederiksberg C
 DENMARK



UNIVERSITY OF COPENHAGEN